
PUBLIC PARTICIPATION PROCESS REPORT FOR DEVELOPMENT OF A NEW WASTEWATER TREATMENT WORKS (WWTW) IN WARRENTON, NORTHERN CAPE PROVINCE

In terms of Section 56 of the National Environmental Management Act (NEMA Act No 107 of 1998, as amended) and Environmental Impact Regulations, 2014 (as amended)



Environmental Management Group (Pty) Ltd

Specialists in Environmental Management Integrating Industry and Infrastructure with the Environment

Bloemfontein Office:

10 New Market Road
Groenvlei

Parys Office:

Farm Damlaagte
229 RE

✉: info@envmgrp.com

💻: www.envmgrp.com

☎: 051 412 6350

REPORT DETAILS

Report compiled for:	Magareng Local Municipality
Prepared by:	Environmental Management Group (Pty) Ltd P.O. Box 37473 Langenhoven Park, 9330 Tel: 051 412 6350 Fax: 086 556 2125 Contact Person(s): Nicola du Toit
Report date:	06 March 2026
Project title:	Development of a new wastewater treatment works (WWTW) in Warrenton, Northern Cape province.
EIA reference nr:	NC/EIA/01/FB/MAGIWAR 1/2026
Report Author:	 Ivan Coertze

DOCUMENT OWNERSHIP AND LEGAL FRAMEWORK

-  This report is the property of the Author/Company, who may publish it, as a whole, provided that:
-  Written approval is obtained from the Author, and that EMG (Environmental Management Group) is acknowledged in the publication;
-  EMG is indemnified against any claim for damages that may result from any publication of specifications, recommendations or statements that are not administered or controlled by EMG;
-  The contents of this report, including specialist/consultant reports, may not be used for purposes of sale or publicity or advertisement without the prior written approval of EMG;
-  EMG accepts no responsibility by the Applicant/Client for failure to follow or comply with the specifications or recommendations contained in this report;
-  EMG accepts no responsibility for deviation or non-compliance of any specifications or recommendations made by specialists or consultants whose input/reports are used to inform this report; and
-  All figures, plates and diagrams are copyrighted and may not be reproduced by any means, in any form, in part or whole without prior written approved from EMG

GLOSSARY OF TERMS AND ACRONYMS

Acronym	Description
CBA	Critical Biodiversity Area
DFFE	Department of Forestry, Fisheries and the Environment
DM	District Municipality
DWS	Department of Water and Sanitation
EA	Environmental Authorisation
EAP	Environmental Assessment Practitioner
ECO	Environmental Control Officer
EIA	Environmental Impact Assessment
EMG	Environmental Management Group (Pty) Ltd
Environmental Impact	Any environmental change, whether adverse or beneficial, wholly or partially resulting from development and or the operation thereof.
ESA	Ecological Support Area
GA	General Authorization
GN R	Government Notice Regulation
HIA	Heritage Impact Assessment
I&AP	Interested and Affected Party
IDP	Integrated Development Plan
IEM	Integrated Environmental Management
Mitigate	Activities designed to lessen/compensate for unavoidable environmental impacts.
NEM:BA	National Environmental Biodiversity Act
NEMA	National Environmental Management Act No. 107 of 1998
NHRA	National Heritage Resource Act
NWA	National Water Act No. 36 of 1998
ONA	Other Natural Areas
SAHRA	South African Heritage Resources Agency
SANBI	South African National Biodiversity Institute
WUL	Water use Licence

TABLE OF CONTENTS

1	Introduction	5
2	Project description and Locality.....	5
3	Requirements of the Public Participation Process.....	6
4	Legislative requirements	8
4.1	Environmental Authorisation	8
4.2	Water Use License.....	11
5	Timeframes	11
5.1	Scoping and EIA Process Timeframes.....	11
5.2	Water Use Licence Application timeframe	12
6	Approach and methodology – Public Participation Process	13
7	Public Information Session:.....	15
8	List of I&APs	15
9	Comment and Response Register:	17
9.1	Scoping Phase.....	17
9.2	Comment and Response Register- Public Meeting.....	21
9.3	Comment and Response Register-EIA Phase	22
10	Conclusion	23
11	Appendices	24
11.1	Appendix A: Notification of neighbouring parties.....	24
11.1.1	Site Notices	24
11.1.2	BID documents email.....	25
11.2	Appendix B: Notification of neighbouring parties-BID documents hard copies 26	
11.3	Appendix C: Circulation of BID documents and invitation to public meeting. 29	
11.4	Appendix D: Public Information Session:	32
11.6	Appendix E: Newspaper advertisement	34
11.6.1	News Advert Template	34
11.6.2	Proof of newspaper advertisement	34
11.7	Appendix F: Site notice	37
11.7.1	Site Notice Template	37

11.7.2	Photographic proof of placements	38
11.8	Appendix G: Proof of SAHRIS.....	41
11.9	Appendix H: List of Stakeholders	42

1 Introduction

Environmental Management Group (Pty) Ltd was appointed by Magareng Local Municipality to act as an independent environmental assessment practitioner to undertake the for the proposed development of a new Wastewater Treatment Works (WWTW) by the Magareng Local Municipality. The Scoping and EIA process is being undertaken in accordance with the requirements of the EIA Regulations of 2014 (as amended), promulgated in terms of the National Environmental Management Act (NEMA: Act No. 107 of 1998).

2 Project description and Locality

The project is located at Doornfontein No. 12, Portion 7 (primary WWTW site). Other portions will be affected by the linear infrastructure. (Ikutseng Township and Warrenton Township), within the Magareng Local Municipality, Northern Cape Province (Figure 1: Warrenton WWTW Locality Map). This site has been identified as the preferred location following a site selection process.




Figure 1: Locality map of the proposed development of a new Wastewater Treatment Works (WWTW) by the Magareng Local Municipality.

3 Requirements of the Public Participation Process

The Public Participation Process (PPP) forms an integral and mandatory part of the application process for an Environmental Authorisation (EA) and a Water Use Licence (WUL). It is designed to provide all Interested and Affected Parties (I&APs) with a fair opportunity to be informed about the proposed development, to raise issues and concerns, and to contribute to the environmental assessment.

The process for this **Scoping and Environmental Impact Assessment (EIA)** is governed by the National Environmental Management Act (NEMA, Act 107 of 1998), its EIA Regulations (2014, as amended), and the National Water Act (Act 36 of 1998). The regulations stipulate that the PPP must:

- “give all potential or registered interested and affected parties, including the competent authority, a period of at least 30 days to submit comments” on key reports.
- “must provide access to all information that reasonably has or may have the potential to influence any decision with regard to an application.”

Public participation for this application includes **integrated consultation** with:

- a) The Competent Authority (the Northern Cape Department of Agriculture, Environmental Affairs, Rural Development and Land Reform - DAERL).
- b) Every state department that administers a law relating to a matter affecting the environment relevant to the application (e.g., Department of Water and Sanitation, South African Heritage Resources Agency).
- c) All organs of state which have jurisdiction in respect of the activity (e.g., Magareng Local Municipality, Frances Baard District Municipality).
- d) All potential stakeholders, landowners, land users, and registered I&APs.

Minimum Requirements in Terms of Regulation 41 of the EIA Regulations:

Section 41 of the EIA Regulations outlines the minimum requirements for public participation, which have been adhered to in this process:

1. Subsection 2(a): Site Notices

- Notice boards were fixed at places conspicuous and accessible to the public at the boundary of the proposed Wastewater Treatment Works (WWTW) site and along the pipeline corridors on the 10th of January 2026).
- *Refer to **Appendix F** for proof of placement.*

2. Subsection 2(b): Written Notice

- Written notice was given to:
 - The owner and occupiers of the site (Magareng Local Municipality).
 - Owners and occupiers of land adjacent to the site and pipeline routes.
 - The relevant organisations.
 - The local municipality and all applicable organs of state.
- This notice was provided through the distribution of the **Draft Scoping Report** Which was circulated on the 23rd of January 2026.
- Additional BIDs were also emailed out to stakeholders and I&APs on the 3rd of June (Appendix C).
- *Refer to the distribution list and correspondence in the project records.*

3. Subsection 2(c): Newspaper Advertisement

- Two advertisements (Mareng Rekord and NoordkaapBulletin) were placed in a local newspaper circulating in the Warrenton and Frances Baard District area on the 20th of January and 12th February 2026 Respectively).
- *Refer to **Appendix E** for proof of the advertisement.*

4. Subsection 3: Content of Notices

- All site notices and advertisements complied with Regulation 41(3) by:
 - Providing details of the application (proposed Warrenton WWTW).
 - Stating that a **Scoping and EIA process** is being applied.
 - Describing the nature and location of the activity.
 - Indicating where further information could be obtained.
 - Specifying the manner in which and the person to whom representations must be made (the Environmental Assessment Practitioner).

In accordance with the principles of NEMA, this PPP provides people who may be affected by the proposed development with the opportunity to comment, raise concerns, or make suggestions for enhancing project benefits. All comments and issues raised during the PPP are systematically captured, evaluated, and recorded in a **Comments and Responses Register (CRR)**. These issues were addressed and included in the final version of the Scoping, EIA, and WUL application reports, which were submitted to the competent authority, the **Northern Cape Department of Agriculture, Environmental Affairs, Rural Development and Land Reform (DAERL)**. These are again brought into the draft EIA, however, additional comments raised during the second public participation process will still be forthcoming and included in the final EIA.

4 Legislative requirements


4.1 Environmental Authorisation

Prior to the commencement of the proposed development, Environmental Authorisation in terms of the National Environmental Management Act (NEMA), (Act No. 107 of 1998), A Scoping EIA in accordance with the Regulations as amended 7 April 2017 is required. The Draft Scoping was submitted to the competent authority, the **Department of Agriculture, Environmental Affairs, Rural Development and Land Reform**.

According to the NEMA, as amended 7 April 2017, Listing Notice 1 (GN R327), Listing Notice 2 (GN R325) and Listing Notice 3 (GN R324) – the following activity(s) are applicable to this proposed project:

Listed Activity No.	Listed Activity Description	Relevance to the Project
Listing Notice 1 (GN R 327, 07 April 2017)		
19	<i>The infilling or depositing of any material of more than 10 cubic metres into, or the dredging, excavation, removal or moving of soil, sand, shells, shell grit, pebbles or rock of more than 10 cubic metres from a watercourse.</i>	The construction of the sewer network and associated infrastructure will involve the excavation and backfilling via trenches where the infrastructure crosses a small drainage line. The largest portion of excavation here will be required for the instalment of the internal underground sump tank associated with the low lift pump station. Here it is anticipated that a material volume ranging between than 500 m³ – 600 m³ is going to be excavated from the watercourse. See below screenshot for illustration.  Refer to maps (Appendix 2) for a larger view.
12 (ii)(a)(c)	<i>The development of — (ii) infrastructure or structures with a physical footprint of 100 square metres or more;</i>	The following infrastructure will have to be built within a small drainage line: 💡 A portion of the incoming gravity sewer line

	where such development occurs— (a) within a watercourse; (c) if no development setback exists, within 32 metres of a watercourse, measured from the edge of a watercourse;	 The new lift pump station  A portion of the outgoing rising main sewer line The fenced-up area of the pumpstation is roughly 680 m², whilst the actual physical building footprint will be around 200m². Equating for pipeline infrastructure and the underground sump, the total anticipated infrastructure surface area will range between 700-800m².
25	The development and related operation of facilities or infrastructure for the treatment of effluent, wastewater or sewage with a daily throughput capacity of more than 2 000 cubic metres but less than 15 000 cubic metres.	The new Warrenton WWTW is designed to treat 3.2Ml of raw sewerage per day.
28 (ii)	Residential, mixed, retail, commercial, industrial or institutional developments where such land was used for agriculture, game farming, equestrian purposes or afforestation on or after 01 April 1998 and where such development: (ii) will occur outside an urban area, where the total land to be developed is bigger than 1 hectare;	The proposed development entails the construction of a new Wastewater Treatment Works on Portion 7 of the farm Doornfontein No. 12. The property is currently zoned for agricultural purposes and is situated outside the defined urban edge of Warrenton. The land has historically been used for agricultural activities. A Wastewater Treatment Works constitutes as industrial infrastructure, as it is designed for the treatment and management of municipal sewage at a significant operational scale. The proposed facility will occupy approximately 19 hectares, which exceeds the 1-hectare threshold prescribed under this activity.
46 (i)(ii)(a)(b)	The expansion and related operation of infrastructure for the bulk transportation of sewage, effluent, process water, waste water, return water, industrial discharge or slimes where the existing infrastructure— (i) has an internal diameter of 0,36 metres or more; or	Although the majority of the proposed development entails the construction of new bulk sewer infrastructure, certain components involve the upgrade and expansion of sections of the existing municipal sewer network within Warrenton. These upgrades include extensions branching from the existing sewer system, as well as the replacement or upsizing of existing pipelines. In several instances, the proposed internal pipe diameter will be 0.36

	(ii) <i>has a peak throughput of 120 litres per second or more; and</i> (a) <i>where the facility or infrastructure is expanded by more than 1 000 metres in length; or</i> (b) <i>where the throughput capacity of the facility or infrastructure will be increased by 10% or more;</i>	metres or greater, and in some cases both the internal diameter and the design flow capacity will exceed the applicable thresholds prescribed in the relevant Listing Notices.  Refer to maps (Appendix 2) for a larger view. The figure above identifies some of those sections of the existing sewer network where expansions are proposed, and where the resulting internal pipe diameter and or flow rate exceed the prescribed thresholds under the EIA Regulations. These sections are therefore considered to trigger the applicable listed activities.
Listing Notice 2 (GN R 325, 07 April 2017)		
15	<i>The clearance of an area of 20 hectares or more of indigenous vegetation.</i>	Two components of the proposed development will require vegetation clearance, namely the repurposed pivot irrigation area of approximately 42 hectares and the new WWTW footprint of approximately 19 hectares. Although the pivot area was historically cultivated, it has remained fallow for more than ten years and has naturally regenerated, thereby constituting indigenous vegetation in terms of DFFE definitions. The combined clearance area exceeds 20 hectares, triggering the applicable listed activity under the EIA Regulations.
Listing Notice 3 (GN R 324, 07 April 2017)		
12 (g) (ii)	<i>The clearance of an area of 300 square metres or more of indigenous vegetation...</i> <i>(g) Northern Cape</i> <i>(ii) Within critical biodiversity areas identified in bioregional plans</i>	The majority of the newly proposed WWTW is located within a CBA 1 area as per the Northern Cape Spatial Biodiversity Plan 2024. Seeing that the WWTW will require a clearance area of approximate 19 ha, this listing notice will be triggered.

4.2 Water Use License

Prior to the commencement of the proposed development, A Water Use License in terms of the National Water Act (NWA), (Act No. 36 of 1998), as amended, a Water Use Licence Application, in accordance with the Regulations Regarding the Procedural Requirements for Water Use Licence Applications and Appeals (GN R 267), must be submitted to the competent authority: Department of Water and Sanitation.

According to the NWA, 1998 (Act No. 36 of 1998) as amended, the following activity(s) are applicable to this proposed project:

NWA: Section 21 (ACT NO.34 of 1998), as amended.

The proposed Warrenton WWTW and associated sewer infrastructure will involve water uses as defined in Section 21 of the NWA, including:

- Section 21(c): Impeding or diverting the flow of water in a watercourse
- Section 21(i): Alteration of watercourses during pipeline crossings and construction within the regulated area of the Vaal River and its tributaries.
- Section 21(g): Disposing of waste in a manner which may detrimentally impact on a water resource
- Section 21(f): Discharge of treated effluent for irrigation reuse.
- Section 21 (e): Engaging in a controlled activity.

A Water Use Licence (WUL) application will be submitted to the DWS to authorise these water uses. The WUL process will run concurrently with the Environmental Impact Assessment (EIA) process

5 Timeframes

5.1 Scoping and EIA Process Timeframes

As a full Scoping and Environmental Impact Assessment (EIA) process is required for this project, the following outlines the key procedural steps and estimated timeframes for the current phase. This process is governed by the National Environmental Management Act (NEMA) No. 107 of 1998 and the NEMA EIA Regulations (2014, as amended), which mandate a structured approach to identify, assess, and manage potential environmental impacts prior to authorisation.

The immediate next steps following the submission of this Scoping Report application involve the competent authority's review and the mandatory public participation process for the Draft Scoping Report (DSR). The overall timeline provided below estimates the duration for completing the Scoping phase and outlines the transition into the detailed EIA phase.




Figure 2:EIA process diagram.

5.2 Water Use Licence Application timeframe

The WULA PPP will run concurrently with the EIA process in accordance with GN R 267, Regulations Regarding the Procedural Requirements for Water Use Licence Applications and Appeals Section 17(2) *“Where a public participation process has already been undertaken through the Environmental Impact Assessment Processes or any other public consultation process and that public participation process contains and covers all issues pertaining to water use activities, then that public participation process report may, subject to approval by the responsible authority, be submitted for the requirements of the water use licence application”*. The following process was followed in accordance with GN R267:

-  Erect site notices.
-  Placing of newspaper advert in one local newspaper.
-  Public & authority review and commenting period of 60 calendar days.

Regulation	Steps in processing of WULA	Maximum Days allocated	Cumulative days	Responsible
0	Pre-application enquiry	0	0	EMG & DWS
1	Application submitted	1	1	EMG
2	Responsible authority acknowledges receipt of the application	10	11	DWS
3	Applicant confirms arrangements for site inspection with an allocated case officer	5	16	EMG
4	Site inspection to confirm water uses, determine information requirements and the need for public participation	20	36	DWS & EMG
5	Confirm requirements for water use licence application technical report based on site visit and meeting	5	41	DWS
6	Compilation, consultation and submission of water use licence	105	146	EMG

	application technical report by applicant			
7	Reject / Accept water use licence application technical report	10	156	DWS
8	Assessment	139	295	DWS
8	Decision and communication to applicant	5	300	DWS

6 Approach and methodology – Public Participation Process

The Public Participation Process (PPP) was designed and conducted in strict compliance with the requirements of the National Environmental Management Act (NEMA, Act 107 of 1998), its Environmental Impact Assessment (EIA) Regulations (2014, as amended), and the National Water Act (Act 36 of 1998). The process followed an integrated approach to satisfy the public participation requirements for both the Environmental Authorisation (EA) and Water Use Licence Application (WULA) concurrently.

The methodology was structured, proactive, and inclusive, based on the principles of Integrated Environmental Management (IEM) to ensure transparency, accountability, and meaningful engagement with all Interested and Affected Parties (I&APs). The key steps undertaken are detailed below:

1. Legal Compliance & Integrated Approach:

The PPP was structured to meet the legal stipulations of:

- NEMA EIA Regulations (GNR 326, as amended).
- Regulations Regarding the Procedural Requirements for Water Use Licence Applications and Appeals (GN R267).
- The integrated process ensured efficient and coordinated engagement for the dual authorisation processes.

2. Identification of Interested and Affected Parties (I&APs):

A comprehensive and actively maintained I&AP database was initiated, identifying:

- Directly affected landowners and occupiers.
- Relevant government authorities and organs of state.
- Community representatives (e.g., ratepayers' associations, ward committees).
- Specialist interest groups (e.g., environmental NGOs, agricultural bodies).

3. Initial Notification and Registration:

To ensure wide-reaching awareness, initial notification was achieved through multiple, complementary channels:

- **Written Notices:** The Draft Scoping Report (DSR) was distributed via email and pre-identified I&APs and was uploaded on the EMG website for public review.
- **Site Notices:** Large, durable notice boards were placed at strategic, publicly accessible locations near the proposed WWTW site and along pipeline corridors.

- **Newspaper Advertisement:** A formal project notice was published in a local newspaper (Magareng Rekord & NoordKaap Bulletin) circulating within the Warrenton and Frances Baard District area.
- **Direct Engagement:** Presentations and meetings will be undertaken when required during the EIA phase to key stakeholder groups, such as the Municipal Council.

4. Provision of Project Documents and Stipulated Consultation Periods:

I&APs were provided fair opportunity to review all key documents through defined comment periods:

- The **Draft Scoping Report (DSR)** was made available for a **30-day public comment period**.
- The forthcoming **Draft Environmental Impact Report (EIR)**, including all specialist reports and the draft Environmental Management Programme (EMPr), will be made available for a **second 30-day comment period**.
- The **Draft Water Use Licence Application (WULA)** and supporting reports will be available for a concurrent **60-day comment period** as required by the National Water Act.
- All reports were made available electronically free of charge downloadable on the EMG website.

5. Management of I&AP Input and Ongoing Engagement:

A systematic and transparent system was established to record, address, and report on all stakeholder input:

- All comments, questions, and concerns were meticulously recorded in a **Comments and Responses Register (CRR)**.
- Each entry in the CRR includes the commenter's details, the full comment, a substantive response from the Environmental Assessment Practitioner (EAP), and an indication of how the input was addressed in the project planning.
- Feedback was provided to I&APs, and the finalised CRR will be included as an appendix in the Final Scoping Report, Final EIR, and WULA submission.
- The process informed I&APs of their right to appeal decisions and established a mechanism for ongoing community liaison during construction and operation via the EMPr.

6. Anticipated Issues and Focus Areas:

The engagement process proactively addressed concerns anticipated from the project nature and preliminary assessments, focusing on:

- Water quality impacts on the Vaal River.
- Ecological impacts on sensitive floodplain ecosystems.
- Potential odour and nuisance during operation.
- Public health benefits and construction-phase disruptions.
- Land use and visual impacts.

This methodology ensured a robust, inclusive, and legally compliant Public Participation Process, forming a critical foundation for the environmental assessment and authorisation of the proposed Warrenton Wastewater Treatment Works.

7 Public Information Session:

A public information session was advertised and hosted in the Old Library Hall in Warrenton on the 10th of June 2026 at 11H00 (Appendix D).

The information discussed included:

- The project scope
- The EIA process
- The WULA process
- Being registered as I&APs



Figure 3: Public Information Session

8 List of I&APs

Property owners of the affected property have already consented to the application for the construction and realignment of the Department of Environment and Nature Conservation. The surrounding landowners of parent farms bordering to the subject property were also included in the PPP.

The following are the key stakeholders

 Department of Environment and Nature Conservation

Regional authority:

 Frances Baard District Municipality

Local authority:

 Magareng Local Municipality

Organ of State:

 Department of Water and Sanitation

A full list of stakeholders is provided in Appendix G below

9 Comment and Response Register:

9.1 Scoping Phase

The following comments/input were received during the 30-day review and commenting period on the **Draft Scoping Report**:

I&AP COMMENT REGISTER		Department of Agriculture, Environmental Affairs, Rural Development and Land Reform - M. Jaola
Date	Comment received	EAP's Response
17 February 2026	Dear Sir/Madam APPLICATION FOR AUTHORIZATION IN TERMS OF THE NATIONAL ENVIRONMENTAL MANAGEMENT ACT, 1998 (ACT NO.107 OF 1998), AND THE ENVIRONMENTAL IMPACT ASSESSMENT REGULATIONS, 2014 (AS AMENDED): PROPOSED DEVELOPMENT OF WASTE WATER TREATMENT WORKS IN WARRENTON: MAGARENG LOCAL MUNICIPALITY, FRANCES BAARD DISTRICT MUNICIPALITY. The draft Scoping report submitted by you in respect of the above mentioned application was received by the Department on the 26 of January 2026 and has been reviewed. The department hereby provides comments for the draft Scoping Report: COMMENTS ON THE DRAFT SCOPING REPORT FOR THE PROPOSED DEVELOPMENT OF WASTE WATER TREATMENT WORKS IN WARRENTON: MAGARENG LOCAL MUNICIPALITY, FRANCES BAARD DISTRICT MUNICIPALITY.	Good day Ms Mmakhumo, Thank you for your comments on the Draft Scoping Report. As discussed during the site visit held on 18 February 2026, please note that at this stage we do not have detailed information regarding the existing Wastewater Treatment Works (WWTW). It should further be noted that the decommissioning of the existing WWTW, as well as the associated requirements, will be addressed through a separate process as it does not form part of the current Environmental Authorisation application. Specialist assessments will be undertaken during the next phase of the Environmental Impact Assessment (EIA) process, in

	1. APPLICATION FORM AND SCOPING REPORT • The final Scoping Report must be submitted in both electronic (soft copy) and printed (hard copy) formats. • The application form has indicated that upon commissioning of the new Waste Water Treatment Works (WWTW), the existing Warrenton WWTW and potentially the Ikhutseng Main Pump Station will be decommissioned. This constitutes the decommissioning of a facility that was used for a listed activity (wastewater treatment). The scope and the environmental implications of the current WWTW must be fully assessed. The following must also be provided: Background details of the existing WTWT (when was it commissioned?, Current capacity, Compliance status, Odour, overflow, or health complaints, layout etc) A Decommissioning Method Statement (Addressing the Management of residual wastewater, sludge, chemicals, and contaminated materials during decommissioning. Timeframes and phasing of decommissioning activities. Monitoring procedures, etc. 2. SPECIALIST STUDIES • Specialist assessments must be carried out in compliance with Appendix 6 of the 2017 EIA regulations, as amended and Government Notice No. 320 of 20 March 2020 ("the Protocols").	accordance with the applicable regulatory requirements. We also acknowledge and appreciate the list of additional stakeholders provided for the Public Participation Process. These contacts will be included in the Interested and Affected Parties database and will be notified during the EIA phase of the project. Please do not hesitate to contact us should you require any further information.
--	--	---

	3. PUBLIC PARTICIPATION The following contacts must be added to the list of Interested and Affected Parties. Comments must also be solicited from these stakeholders: Department of Agriculture, Environmental Affairs, Rural Development and Land Reform: Unit: Research Contact Person: Ms C. Kraft Email address: [REDACTED] Unit: Waste Management Contact person: Mrs Kgosi Email address: [REDACTED] [REDACTED] Unit: Compliance and Enforcement Contact person: Mrs Tshepisho Thibela Email address: [REDACTED] Unit: Air Quality Contact person: Mr David Khakhane Email address: khakhane@gmail.com Unit: Climate Change Contact person: Mr B. Fisher Email address: croninroad@gmail.com	
--	---	--

	Department of Forestry, Fisheries and the Environment Unit: Forestry Management Contact person: Jacoline Mans Email address: [REDACTED] • Contact people and contact details of stakeholders must be verified. Ensure that notifications are received by relevant stakeholders (e.g Mr Wonders Mothibi no longer works for this department. The Department of Agriculture, Land Reform does not exist).	
I&AP COMMENT REGISTER		Department of Forestry, Fisheries and the Environment - Nompumelelo Lekalakala
Date	Comment received	EAP's Response
06 February 2026	Dear Sir/Madam DFFE Directorate: Biodiversity Conservation hereby acknowledge receipt of the invitation on the 23rd of January 2026 to review and comment on the project mentioned on the subject line. Kindly note that the project has been allocated to Mrs M Rabothata and Ms Khuliso Khomari (Copied on this email). Please note: All Public Participation Process documents related to Biodiversity EIA review and any other Biodiversity EIA queries must be submitted to the Directorate: Biodiversity Conservation at Email: [REDACTED] for attention of Mr Seoka Lekota. Nompumelelo Lekalakala B&C: Biodiversity Mainstreaming & EIA Department of Forestry, Fisheries and the Environment	Good day Nompumelelo Thank you for your email. We take note of your email, and we will include all contacts in the interest and Affect parties' database in the EIA phase. Kind regards Matshego

	Environment House 473 Steve Biko and Soutpansberg Streets Pretoria Cell: 012 339 9411 Email: [REDACTED]	
--	--	--

9.2 Comment and Response Register- Public Meeting

I&AP COMMENT REGISTER		SANRAL
Date	Comment received	EAP's Response
10 June 2026	Mr Marwane and Ms Ndlovu from SANRAL noted that the proposed development will implicate the crossing of the N12 and as such would necessitate that the necessary wayleaves be applied for before construction may commence in the implicated areas. It was also warned that the relevant application processes should take place sooner rather than later to ensure that the wayleaves are timeously approved.	This was duly noted. It was noted that the required wayleaves would definitely be obtained before any construction commences in the implicated areas. While the wayleaves is anticipated to be applied for by the consulting engineers, the need for timeous application will be communicated to them.
I&AP COMMENT REGISTER		Cllr Potgieter
10 June 2026	Cllr Potgieter noted the need for transparency and that the municipality needs to be included in the process. Cllr Potgieter also kindly provided email addresses of contacts in the municipality to be included in the Stakeholder and I&AP list.	Cllr Potgieter's concern was duly noted. The Cllrs have received BIDs and also invitations to the public meeting hosted on the 10 th of June. The need for future transparency is noted. Access to the EIA will be sent to all of the Cllrs, I&APs and other Stakeholders. Furthermore, electronic copies of the EIA will be sent to the Cllrs. The contacts kindly provided were added to the I&AP list in Appendix H.
10 June 2026	Cllr Potgieter noted that the construction in the road reserves and community areas may cause significant disturbance to the implicated communities.	Cllr Potgieter's concerns are duly noted. Unfortunately, the disturbance posed is one inherent to the socio-environmental problem which the proposed development must solve i.e. effluent

		conveyance must necessarily be from the communities and as such construction must necessarily take place in the built-up areas. Cllr Potgieter's concerns are, however, noted to be directed to ensuring that disturbance while inevitable must be minimised. This is duly noted. Mitigations processed have been integrated into the EMP. A Community Liaison Officer will also form part of the team to ensure that community interests are considered in the construction activities. Realignment of the pipelines as discussed in the EIA have also taken place to minimise disturbance to the communities as far as possible.
--	--	--

9.3 Comment and Response Register-EIA Phase

I&AP COMMENT REGISTER		<i>I&AP/Stakeholder</i>
Date	Comment received	EAP's Response
Comments from the EIA public participation process will be included here.		

10 Conclusion

The Draft EIA will be made available for a 30-day review and comment period to all registered Interested and Affected Parties (I&APs), relevant organs of state, and government departments. This comment period is critical for I&APs to provide input that will help determine the scope, alternatives, and key issues to be assessed in the subsequent Environmental Impact Assessment (EIA) phase.

Concurrently, the draft Water Use Licence Application (WULA) will be available for a 60-day review and comment period. All comments received on both documents will be recorded in a comments and responses register and will be formally addressed in the Final EIA.

The methods outlined in the Public Participation Plan are designed to ensure compliance with regulatory requirements by providing all identified I&APs, landowners, and authorities with adequate opportunity to review the draft scoping documentation and provide meaningful input to guide the overall assessment process.

11 Appendices

11.1 Appendix A: Notification of neighbouring parties.

11.1.1 Site Notices

NOTICE OF APPLICATION FOR ENVIRONMENTAL AUTHORISATION (S&EIR) AND WATER USE LICENSE AUTHORISATION

Notice is hereby given of an application for Environmental Authorisation process under Chapter 6 of the Environmental Impact Assessment Regulations, 2014, as amended. This application will be lodged with the Northern Cape Department: Agriculture, Environmental Affairs, Rural Development and Land Reform in accordance with the National Environmental Management Act, 1998 (Act no. 107 of 1998), as amended. An Application for a Water Use License (WULA) in terms of the National Water Act (NWA), 1998 (Act No. 36 of 1998, as amended) and its associated Regulations will be submitted to the Department of Water and Sanitation (DWS).

WASTEWATER TREATMENT WORKS (WWTW) IN WARRENTON, NORTHERN CAPE PROVINCE

NEMA: Listing Notice 1 (GNR. 327, 07 APRIL 2017)

12	The development of— (i) infrastructure or structures with a physical footprint of 100 square metres or more; where such development occurs— (a) within a watercourse; (c) if no development setback exists, within 32 metres of a watercourse, measured from the edge of a watercourse; —
19	The infilling or depositing of any material of more than 10 cubic metres into, or the dredging, excavation, removal or moving of soil, sand, shells, shell grit, pebbles or rock of more than 10 cubic metres from a watercourse.
25	The development and related operation of facilities or infrastructure for the treatment of effluent, wastewater or sewage with a daily throughput capacity of more than 2 000 cubic metres but less than 15 000 cubic metres.
26	Residential, mixed, retail, commercial, industrial or institutional developments where such land was used for agriculture, game farming, equestrian purposes or afforestation on or after 01 April 1998 and where such development... (i) will occur outside an urban area, where the total land to be developed is bigger than 1 hectare; excluding where such land has already been developed for residential, mixed, retail, commercial, industrial or institutional purposes.
31	The decommissioning of existing facilities, structures or infrastructure for— ... (ii) any expansion and related operation activity or activities listed in this Notice, Listing Notice 2 of 2014 or Listing Notice 3 of 2014; (iv) any phased activity or activities for development and related operation activity or expansion or related operation activities listed in this Notice or Listing Notice 3 of 2014; or (v) any activity regardless the time the activity was commenced with, where such activity: (a) is similarly listed to an activity in (i) or (ii) above; and (b) is still in operation or development is still in progress.
46	The expansion and related operation of infrastructure for the bulk transportation of sewage, effluent, process water, waste water, return water, industrial discharge or slimes where the existing infrastructure (i) has an internal diameter of 0,36 metres or more; or (ii) has a peak throughput of 120 litres per second or more; and (a) where the facility or infrastructure is expanded by more than 1000 metres in length; (b) or where the throughput capacity of the facility or infrastructure will be increased by 10% or more;

NEMA: Listing Notice 2 (GNR 325, 07 April 2017)

15	The clearance of an area of 20 hectares or more of indigenous vegetation, ...
----	---

NEMA: Listing Notice 3 (GNR. 324, 07 APRIL 2017)

12	The clearance of 300 square metres or more of indigenous vegetation except where such clearance of indigenous vegetation is required for maintenance purposes undertaken in accordance with a maintenance management plan. g) Northern Cape (ii) Within critical biodiversity areas identified in bioregional plans;
14	The development of (ii) infrastructure or structures with a physical footprint of 10 square metres or more; where such development occurs (a) within a watercourse (c) if no development setback has been adopted, within 32 metres of a watercourse (g) Northern Cape (ii) Outside urban areas (f) Critical biodiversity areas or ecosystem service areas as identified in systematic biodiversity plans adopted by the competent authority or in bioregional plans;

NWA: Section 21 (ACT NO.34 of 1998), as amended

e	Engaging in a controlled activity identified as such in section 37 (1) or declared under section 38 (1)
c.	impeding or diverting the flow of water in a watercourse;
i.	altering the bed, banks, course or characteristics of a watercourse;
f	discharging waste or water containing waste into a water resource through a pipe, canal, sewer, sea outfall or other conduit
g	disposing of waste in a manner which may detrimentally impact on a water resource;

• Additional listed activities may be identified during the process

LOCATION: Portion 7 of the farm Doornfontein No. 12; including other properties, Warrenton, Northern Cape Province

PROponent: Magareng Local Municipality

CONSULTANT: Environmental Management Group

PO Box 37473

Langenhoven Park, 9330

Tel: 051 412 6350

Email: EAP: Matshego Keikelame

matshego@envmgo.com accounts@envmgo.com


/ mel@envmgo.com

WEBSITE:

www.envmgo.com

DATE:

15 January 2026



In order to ensure that you are identified as an Interested and/or Affected Party (I&AP), individuals are requested to respond to this notice by submitting their complete contact details and any comment in writing to the consultant (details given above). A Background Information Document (BID) will be available on the website given above once available. Once registered, a notification will be sent for the availability of the Draft Basic Assessment Report for a thirty day (30) commenting period (in terms of NEMA). All information will be available on the website given above and on request.

11.1.2 BID documents email

From: Ivan Coertze <ivan@envmgrp.com>

Sent: 24 April 2026 10:31

To: 'nanabhaywarrenton@gmail.com' <[REDACTED]>

Cc: 'rnelAenvmgrp.com' <rnel@envmgrp.com>; Nicola <Accounts@envmgrp.com>

Subject: #352: ENVIRONMENTAL IMPACT ASSESSMENT FOR ENVIRONMENTAL AUTHORISATION AND WATER USE LICENCES FOR THE RELOCATION OF THE EXISTING WARRENTON WASTEWATER TREATMENT WORKS

Dear [REDACTED],

Re: ENVIRONMENTAL IMPACT ASSESSMENT FOR ENVIRONMENTAL AUTHORISATION AND WATER USE LICENCES FOR THE RELOCATION OF THE EXISTING WARRENTON WASTEWATER TREATMENT WORKS

We have been appointed by BVi Consulting Engineers on behalf of the Magareng Local Municipality.

You have been identified as a potential Interested and/or Affected Party (I&AP) who may want to be informed about the proposed development and may have comments which needs to be addressed in the application process.

The Background Information Document (BID) is attached for your perusal.

Your comments on the project will be appreciated.

Should you have any project related queries, please do not hesitate to contact the undersigned.

Please also note that there will be a public information session in the coming weeks to which you are cordially invited (we will communicate details sooner to the date).

Kind regards,



IVAN COERTZE

Junior Environmental Assessment Practitioner

C: +27 71 371 8825

T: +27 51 412 6350

E: ivan@envmgrp.com **W:** www.envmgrp.com

Environmental Management Group (PTY) Ltd.

15 New Market Road, Bloemfontein, 9301

11.2 Appendix B: Notification of neighbouring parties-BID documents hard copies

Template of hard copy of BID to neighbouring parties- 28 May	
	INFORMATION DOCUMENT REGARDING THE PROPOSED DEVELOPMENT OF A NEW WASTEWATER TREATMENT WORKS (WWTW) AND ASSOCIATED BULK INFRASTRUCTURE IN WARRENTON, NORTHERN CAPE PROVINCE
Information Regarding the Proposed Development of a New Wastewater Treatment Works (WWTW) and associated bulk infrastructure in Warrenton, Northern Cape Province. <u>Dear sir/ma'am</u> You have been identified as a potential Interested and/or Affected Party (I&AP), in whose interest it may be to be informed about the proposed Wastewater Treatment Works and associated bulk infrastructure. You have an opportunity to review this document and provide your initial comments to us for incorporation in the process. Comments will be recorded and included in the reports submitted to the relevant authorities for decision-making. May 2026	
<u>PROJECT CONTEXT:</u> Magareng Local Municipality, hereafter referred to as the Applicant, has appointed BVi Consulting as the Consulting Engineers for the project. BVi Consulting has in turn appointed Environmental Management Group, EMG, as the independent Environmental Assessment Practitioner to undertake the required Scoping and Environmental Impact Assessment process for the proposed Warrenton Wastewater Treatment Works and associated bulk sewer infrastructure. The Applicant proposes the construction of a new Wastewater Treatment Works with a design capacity of 3.2 megalitres per day on Portion 7 of the farm Doornfontein No. 12, situated approximately 2 kilometres west of Warrenton in the Northern Cape Province (Figure 1). The associated linear sewer infrastructure will traverse and affect several additional properties, including Portions 7, 9, 12, 18, and 23 of Doornfontein No. 12, as well as the established townships of Ikutseng and Warrenton (Figure 1). The proposed WWTW will operate as a pond-based treatment system comprising anaerobic, facultative, and maturation ponds for primary and secondary treatment. A final polishing stage will	

be incorporated through constructed reedbeds. After a final chlorination treatment, the treated effluent will be reused for irrigation purposes via a pivot irrigation system. Associated infrastructure includes approximately 18.3 kilometres of new gravity sewer lines, 0.8 kilometres of rising mains, and a new pump station to integrate the towns of Warrenton, Ikutseng, and Warrenvale into the upgraded treatment system. Upon successful commissioning (and not before) of the new WWTW, the existing wastewater treatment facility located within the residential area of Warrenton will be decommissioned and rehabilitated. The decommissioning of the existing facility will be addressed under a separate environmental process and will only commence once the proposed WWTW is fully operational. The proposed development triggers activities listed under Listing Notices 1, 2, and 3 of the NEMA EIA Regulations (GN R 982 of 2014 as amended) and therefore requires a full Scoping and Environmental Impact Assessment process. In addition, a Water Use Licence application in terms of the National Water Act (NWA, Act 36 of 1998), will be required for the associated water uses.




Figure 1: Locality Map of the proposed WWTW and associated bulk infrastructure.

HOW TO RESPOND

If you are interested in receiving **further information** on the project or **being registered** as an **I&AP** please register your details with the person listed below. Responses to this document can be submitted by means of a **comments sheet** which will be supplied on request via email and/or through communication with the persons listed below.

Ivan Victor Coertze

Tel: +27 51 412 6351

E-mail: ivan@envmvp.com/accounts@envmvp.com

Dropping off hard copies of BID to neighbouring parties.



Template of the Invitation to the public information session:

Public Info Session for the Proposed Wastewater Treatment Works, and Bulk Infrastructure, Warrenton, Northern Cape Province

A public information session will be held to present the Environmental Impact Assessment procedure and the proposed project scope for the proposed development.

Warrenton Wastewater Treatment Works and Bulk Infrastructure- Locality Map

Date: 10th of June 2026.

Time: 11h00.

Location: Warrenton Old Library Hall.

RSVP: Please contact the environmental consultant at ivan@envmgrp.com.

Invitation for the public information session emailed to stakeholders and I&APS:

From: Ivan Coertze <ivan@envmgrp.com>

Sent: 03 June 2026 11:46

To: 'Ivan Coertze' <ivan@envmgrp.com>; Kyleigh@envmgrp.com; Nicola@Accounts@envmgrp.com; 'CW' <Cww@envmgrp.com>; 'Ricus Nel' <rnel@envmgrp.com>

Cc: Kyleigh@envmgrp.com; Nicola@Accounts@envmgrp.com; 'CW' <Cww@envmgrp.com>; 'Ricus Nel' <rnel@envmgrp.com>

[Bcc:

[REDACTED]

Subject: #352- INVITATION TO THE PUBLIC INFORMATION SESSION DISCUSSING THE ENVIRONMENTAL IMPACT ASSESSMENT FOR ENVIRONMENTAL AUTHORISATION AND WATER USE LICENCES FOR THE RELOCATION OF THE EXISTING WARRENTON WASTEWATER TREATMENT WORKS.

Dear sir/ma'am,

Re: ENVIRONMENTAL IMPACT ASSESSMENT FOR ENVIRONMENTAL AUTHORISATION AND WATER USE LICENCES FOR THE RELOCATION OF THE EXISTING WARRENTON WASTEWATER TREATMENT WORKS.

We have been appointed by BVi Consulting Engineers on behalf of the Magareng Local Municipality.

You have been identified as a key stakeholder or interested and affected party who should be informed about the proposed development and may have comments which needs to be addressed in the environmental authorisation application process.

The Background Information Document (BID) is attached for your perusal.

As promised, we will be hosting a public information session on the **10th of June**, at the **Old library Hall in Warrenton**, from **11h00**. We will be discussing the **project scope, environmental impact assessment process** as well as the **public participation process**.

Please find attached the invitation. Please do also circulate to any persons who may be interested in attending.

Kind regards,



IVAN COERTZE

Junior Environmental Assessment Practitioner

C: +27 71 371 8825

T: +27 51 412 6350

E: ivan@envmgrp.com W: www.envmgrp.com

Environmental Management Group (PTY) Ltd.

15 New Market Road, Bloemfontein, 9301

Invitation for the public information session SMS'd to I&APS:

WinSMS Client Zone ivan@envmgrp.com 34.0

Home Message Log Logout

Sent Messages Scheduled Messages

The message list below displays messages that are NOT included in the report.

To download a report go to [Reports](#) tab.

This report will include all messages sent.

Date/times are all displayed in UTC.

SMS Details

Sent Date/Time: 2026-06-03 12:28
 Cell Number: +27744204674
 Status: DELIVERED
 Status Date/Time: 2026-06-03 12:28
 Interface: MobiUI V2
 Cost: 3.0

Message:

Dear sir/ ma'am, Thank you for your interest in the PROPOSED RELOCATION OF THE WARRENTON WASTEWATER TREATMENT WORKS AND BULK INFRASTRUCTURE. We will be hosting a public information session on the 10th of June at the Old Library Hall at 11h00. Please also inform your neighbours should they not have access to phones. We hope to see you in attendance. Kind regards -Environmental Management Group

Sent Date/Time	Cell Number	Message	Status	Status Date/Time	Cost
2026-06-06 09:38	+27783366932	Please note the Draft BAR for the Kuri	DELIVERED	2026-06-06 09:38	2.0
2026-06-06 09:38	+27739325162	Please note the Draft BAR for the Kuri	DELIVERED	2026-06-06 10:24	2.0
2026-06-06 09:38	+27736915163	Please note the Draft BAR for the Kuri	DELIVERED	2026-06-06 09:38	2.0
2026-06-06 09:38	+27794027028	Please note the Draft BAR for the Kuri	FAIL - EXPIRED	2026-06-08 10:22	2.0
2026-06-06 09:38	+27817358805	Please note the Draft BAR for the Kuri	FAIL - EXPIRED	2026-06-08 10:35	2.0
2026-06-06 09:38	+27692977818	Please note the Draft BAR for the Kuri	DELIVERED	2026-06-06 09:38	2.0
2026-06-06 09:38	+27890349513	Please note the Draft BAR for the Kuri	FAIL - BADDEST	2026-06-06 09:38	0.0
2026-06-03 12:28	+27656292771	Dear sir/ ma'am, Thank you for your i	DELIVERED	2026-06-03 12:28	3.0
2026-06-03 12:28	+27735114488	Dear sir/ ma'am, Thank you for your i	DELIVERED	2026-06-03 12:28	3.0
2026-06-03 12:28	+27635120063	Dear sir/ ma'am, Thank you for your i	FAIL - EXPIRED	2026-06-05 13:03	3.0
2026-06-03 12:28	+27761850549	Dear sir/ ma'am, Thank you for your i	DELIVERED	2026-06-03 13:05	3.0


100 of 5 Page 5 of 5

Displaying 401 to 469 of 469 items

Copyright 2026 Dolsin Business Solutions (Pty) Ltd [Privacy Policy](#) [Terms & Conditions](#)

11.4 Appendix D: Public Information Session:

Request sent to Cllrs to circulate invitations



ENVIRONMENTAL MANAGEMENT GROUP

**Specialists in Environmental Management
Integrating Industry and Infrastructure with the Environment**

Tel: +27 51 412 6350
Fax: +27 51 412 6351
Email: ckruger@envmnp.com
Postal Address:
P.O.Box 37473,
Langerhoven Park 9330

Project Description: Public Information Session Relocation of the Warrenton WWTW and Associated Bulk Infrastructure

Date: Time: 11h00

[illegible]

11.6 Appendix E: Newspaper advertisement

11.6.1 News Advert Template

NOTICE OF APPLICATION FOR ENVIRONMENTAL AUTHORISATION AND WATER USE LICENSE AUTHORISATION

Notice is hereby given of an application for Environmental Authorisation process under Chapter 6 of the Environmental Impact Assessment Regulations, 2014, as amended. This application will be lodged with the Northern Cape Department: Agriculture, Environmental Affairs, Rural Development and Land Reform in accordance with the National Environmental Management Act, 1998 (Act no. 107 of 1998), as amended. An Application for a Water Use License (WULA) in terms of the National Water Act (NWA), 1998 (Act No. 36 of 1998, as amended) and its associated Regulations will be submitted to the Department of Water and Sanitation (DWS).

WASTEWATER TREATMENT WORKS (WWTW) IN WARRENTON, NORTHERN CAPE PROVINCE

NEMA: Listing Notice 1 (GNR. 327, 07 APRIL 2017)

12	The development of— (ii) infrastructure or structures with a physical footprint of 100 square metres or more; where such development occurs— (a) within a watercourse; (c) if no development setback exists, within 32 metres of a watercourse, measured from the edge of a watercourse; —
19	The infilling or depositing of any material of more than 10 cubic metres into, or the dredging, excavation, removal or moving of soil, sand, shells, shell grit, pebbles or rock of more than 10 cubic metres from a watercourse.
25	The development and related operation of facilities or infrastructure for the treatment of effluent, wastewater or sewage with a daily throughput capacity of more than 2 000 cubic metres but less than 15 000 cubic metres.
28	Residential, mixed, retail, commercial, industrial or institutional developments where such land was used for agriculture, game farming, equestrian purposes or afforestation on or after 01 April 1998 and where such development... (ii) will occur outside an urban area, where the total land to be developed is bigger than 1 hectare; excluding where such land has already been developed for residential, mixed, retail, commercial, industrial or institutional purposes.
31	The decommissioning of existing facilities, structures or infrastructure for— ... (ii) any expansion and related operation activity or activities listed in this Notice, Listing Notice 2 of 2014 or Listing Notice 3 of 2014; (iv) any phased activity or activities for development and related operation activity or expansion or related operation activities listed in this Notice or Listing Notice 3 of 2014; or (v) any activity regardless the time the activity was commenced with, where such activity: (a) is similarly listed to an activity in (i) or (ii) above; and (b) is still in operation or development is still in progress;
46	The expansion and related operation of infrastructure for the bulk transportation of sewage, effluent, process water, waste water, return water, industrial discharge or slimes where the existing infrastructure (i) has an internal diameter of 0,36 metres or more; or (ii) has a peak throughput of 120 litres per second or more; and (a) where the facility or infrastructure is expanded by more than 1000 metres in length; (b) or where the throughput capacity of the facility or infrastructure will be increased by 10% or more;

NEMA: Listing Notice 2 (GN R 325, 07 April 2017)

15	The clearance of an area of 20 hectares or more of indigenous vegetation, ...
----	---

NEMA: Listing Notice 3 (GNR. 324, 07 APRIL 2017)

12	The clearance of 300 square metres or more of indigenous vegetation except where such clearance of indigenous vegetation is required for maintenance purposes undertaken in accordance with a maintenance management plan. g) Northern Cape (ii) Within critical biodiversity areas identified in bioregional plans;
----	--

NWA: Section 21 (ACT NO.34 of 1998), as amended

e	Engaging in a controlled activity identified as such in section 37 (1) or declared under section 38 (1)
c.	impeding or diverting the flow of water in a watercourse;
i.	altering the bed, banks, course or characteristics of a watercourse;
f	discharging waste or water containing waste into a water resource through a pipe, canal, sewer, sea outfall or other conduit
g	disposing of waste in a manner which may detrimentally impact on a water resource;

Additional listed activities may be identified during the process

LOCATION: Portion 7 of the farm Doornfontein No. 12; including other properties, Warrenton, Northern Cape Province
PROponent: Magareng Local Municipality
CONSULTANT: Environmental Management Group
PO Box 37473
Langenhoven Park, 9330
Tel: 051 412 6350
Email: matshego@envmgrp.com / accounts@envmgrp.com / mel@envmgrp.com
WEBSITE: www.envmgrp.com
DATE: 10 February 2026

In order to ensure that you are identified as an Interested and/or Affected Party (I&AP), individuals are requested to respond to this advertisement by submitting their complete contact details and any comment in writing to the consultant (details given above). A Background Information Document (BID) will be available on the website given above. Once registered, a notification will be sent for the availability of the relevant documents for thirty day (30) commenting period (in terms of NEMA). Sixty Days (60) are given for your comments/concerns on the Water Use Licence Application (National Water Act, 1998). All information will be available on the website given above and on request.

11.6.2 Proof of newspaper advertisement

Publisher name: Veldbrand Media (Magareng Rekord)

Date: 23 January 2026

03 Rekord

PUBLIC NOTICE

ADVERTISE WITH US. SEND US AN E-MAIL TO INFO@VELDBRANDMEDIA.SA.CO.ZA

NOTICE OF APPLICATION FOR ENVIRONMENTAL AUTHORISATION AND WATER USE LICENSE AUTHORISATION

Notice is hereby given of an application for Environmental Authorisation process under Chapter 6 of the Environmental Impact Assessment Regulations, 2014, as amended. This application will be lodged with the Northern Cape Department: Agriculture, Environmental Affairs, Rural Development and Land Reform in accordance with the National Environmental Management Act, 1998 (Act no. 107 of 1998), as amended. An Application for a Water Use Licence (WULA) in terms of the National Water Act (NWA), 1998 (Act No. 36 of 1998, as amended) and its associated Regulations will be submitted to the Department of Water and Sanitation (DWS).

WASTEWATER TREATMENT WORKS (WWTW) IN WARRENTON, NORTHERN CAPE PROVINCE NEMA: Listing Notice 1 (GNR. 327, 07 APRIL 2017)

12	The development of— (ii) infrastructure or structures with a physical footprint of 100 square metres or more; where such development occurs— (a) within a watercourse; (c) if no development setback exists, within 32 metres of a watercourse, measured from the edge of a watercourse; —
19	The infilling or depositing of any material of more than 10 cubic metres into, or the dredging, excavation, removal or moving of soil, sand, shells, shell grit, pebbles or rock of more than 10 cubic metres from a watercourse.
25	The development and related operation of facilities or infrastructure for the treatment of effluent, wastewater or sewage with a daily throughput capacity of more than 2 000 cubic metres but less than 15 000 cubic metres
26	Residential, mixed, retail, commercial, industrial or institutional developments where such land was used for agriculture, game farming, equestrian purposes or afforestation on or after 01 April 1998 and where such development... (ii) will occur outside an urban area, where the total land to be developed is bigger than 1 hectare, excluding where such land has already been developed for residential, mixed, retail, commercial, industrial or institutional purposes.
31	The decommissioning of existing facilities, structures or infrastructure for— ... (ii) any expansion and related operation activity or activities listed in this Notice, Listing Notice 2 of 2014 or Listing Notice 3 of 2014; (iv) any phased activity or activities for development and related operation activity or expansion or related operation activities listed in this Notice or Listing Notice 3 of 2014; or (v) any activity regardless the time the activity was commenced with, where such activity: (a) is similarly listed to an activity in (i) or (ii) above; and (b) is still in operation or development is still in progress;
46	The expansion and related operation of infrastructure for the bulk transportation of sewage, effluent, process water, waste water, return water, industrial discharge or slimes where the existing infrastructure (i) has an internal diameter of 0,36 metres or more; or (ii) has a peak throughput of 120 litres per second or more; and (a) where the facility or infrastructure is expanded by more than 1000 metres in length; (b) or where the throughput capacity of the facility or infrastructure will be increased by 10% or more;

NEMA: Listing Notice 2 (GN R 325, 07 April 2017)

15	The clearance of an area of 20 hectares or more of indigenous vegetation, ...
----	---

NEMA: Listing Notice 3 (GNR. 324, 07 APRIL 2017)

12	The clearance of 300 square metres or more of indigenous vegetation except where such clearance of indigenous vegetation is required for maintenance purposes undertaken in accordance with a maintenance management plan. g) Northern Cape (ii) Within critical biodiversity areas identified in bioregional plans;
14	The development of (iii) infrastructure or structures with a physical footprint of 10 square metres or more; where such development occurs (a) within a watercourse (c) if no development setback has been adopted, within 32 metres of a watercourse (g) Northern Cape (ii) Outside urban areas (ff) Critical biodiversity areas or ecosystem service areas as identified in systematic biodiversity plans adopted by the competent authority or in bioregional plans;

NWA: Section 21 (ACT NO.34 of 1998), as amended

e	Engaging in a controlled activity identified as such in section 37 (1) or declared under section 38 (1)
c.	impeding or diverting the flow of water in a watercourse;
i.	altering the bed, banks, course or characteristics of a watercourse;
f	discharging waste or water containing waste into a water resource through a pipe, canal, sewer, sea outfall or other conduit
g	disposing of waste in a manner which may detrimentally impact on a water resource;

Additional listed activities may be identified during the process

LOCATION: Portion 7 of the farm Doornfontein No. 12; including other properties, Warrenton, Northern Cape Province
PROponent: Magareng Local Municipality
CONSULTANT: Environmental Management Group
PO Box 37473
Langenhoven Park, 9330
Tel: 051 412 6350
Email: matshego@envmgo.com/accounts@envmgo.com/mek@envmgo.com
WEBSITE: www.envmgo.com
DATE: 20 January 2026

In order to ensure that you are identified as an Interested and/or Affected Party (I&AP), individuals are requested to respond to this advertisement by submitting their complete contact details and any comment in writing to the consultant (details given above). A Background Information Document (BID) will be available on the website given above. Once registered, a notification will be sent for the availability of the relevant documents for thirty day (30) commenting period (in terms of NEMA). **Sixty Days (60)** are given for your comments/concerns on the Water Use Licence Application (**National Water Act, 1998**). All information will be available on the website given above and on request.

Publisher name: NoordkaapBulletin

Date: 12 February 2026

**NOTICE OF APPLICATION FOR ENVIRONMENTAL
AUTHORISATION AND WATER USE LICENSE
AUTHORISATION**

Notice is hereby given of an application for Environmental Authorisation process under Chapter 6 of the Environmental Impact Assessment Regulations, 2014, as amended. This application will be lodged with the Northern Cape Department: Agriculture, Environmental Affairs, Rural Development and Land Reform in accordance with the National Environmental Management Act, 1998 (Act no. 107 of 1998), as amended. An Application for a Water Use License (WULA) in terms of the National Water Act (NWA), 1998 (Act No. 36 of 1998, as amended) and its associated Regulations will be submitted to the Department of Water and Sanitation (DWS).

**WASTEWATER TREATMENT WORKS (WWTW) IN
WARRENTON, NORTHERN CAPE PROVINCE
NEMA: Listing Notice 1 (GNR. 327, 07 APRIL 2017)**

12 The development of—
(i) infrastructure or structures with a physical footprint of 100 square metres or more;
where such development occurs—
(a) within a watercourse;
(c) if no development setback exists, within 32 metres of a watercourse, measured from the edge of a watercourse; —

19 The infilling or disposing of any material of more than 10 cubic metres into, or the dredging, excavation, removal or moving of soil, sand, shells, shell grit, pebbles or rock of more than 10 cubic metres from a watercourse;

25 The development and related operation of facilities or infrastructure for the treatment of effluent, wastewater or sewage with a daily throughput capacity of more than 2 000 cubic metres but less than 15 000 cubic metres.

28 Residential, mixed, retail, commercial, industrial or institutional developments where such land was used for agriculture, game farming, equestrian purposes or afforestation on or after 01 April 1998 and where such development... (i) will occur outside an urban area, where the total land to be developed is bigger than 1 hectare; excluding where such land has already been developed for residential, mixed, retail, commercial, industrial or institutional purposes.

31 The decommissioning of existing facilities, structures or infrastructure for—

(i) any expansion and related operation activity or activities listed in this Notice, Listing Notice 2 of 2014 or Listing Notice 3 of 2014;
(iv) any phased activity or activities for development and related operation activity or expansion or related operation activities listed in this Notice or Listing Notice 3 of 2014; or
(v) any activity regardless the time the activity was commenced with, where such activity;

(a) is similarly listed to an activity in (i) or (ii) above; and
(b) is still in operation or development is still in progress;

46 The expansion and related operation of infrastructure for the bulk transportation of sewage, effluent, process water, waste water, return water, industrial discharge or slimes where the existing infrastructure (i) has an internal diameter of 0,36 metres or more; or

(i) has a peak throughput of 120 litres per second or more; and
(a) where the facility or infrastructure is expanded by more than 1000 metres in length;

(b) or where the throughput capacity of the facility or infrastructure will be increased by 10% or more;

NEMA: Listing Notice 2 (GN R 325, 07 April 2017)

15 The clearance of an area of 20 hectares or more of indigenous vegetation, —

NEMA: Listing Notice 3 (GNR. 324, 07 APRIL 2017)

12 The clearance of 500 square metres or more of indigenous vegetation except where such clearance of indigenous vegetation is required for maintenance purposes undertaken in accordance with a maintenance management plan, g) Northern Cape (ii) Within critical biodiversity areas identified in bioregional plans.

NWA: Section 21 (ACT NO.34 of 1998), as amended

e. Engaging in a controlled activity identified as such in section 37 (1) or declared under section 38 (1)

c. impeding or diverting the flow of water in a watercourse;

i. altering the bed, banks, course or characteristics of a watercourse;

f. discharging waste or water containing waste into a water resource through a pipe, canal, sewer, sea outfall or other conduit

g. disposing of waste in a manner which may detrimentally impact on a water resource;

Additional listed activities may be identified during the process

LOCATION: Portion 7 of the farm Doornfontein No. 12; including other properties, Warrenton, Northern Cape Province

PROPOSER: Magareng Local Municipality

CONSULTANT: Environmental Management Group

PO Box 37473
Langenhoven Park, 9330

Tel: 051 412 6350
Email: mathego@envmvp.com /
accounts@envmvp.com / mel@envmvp.com

WEBSITE: www.envmvp.com

DATE: 10 February 2026

In order to ensure that you are identified as an Interested and/or Affected Party (I&AP), individuals are requested to respond to this advertisement by submitting their complete contact details and any comment in writing to the consultant (details given above). A Background Information Document (BID) will be available on the website given above. Once registered, a notification will be sent for the availability of the relevant documents for thirty day (30) commenting period (in terms of NEMA). Sixty Days (60) are given for your comments/concerns on the Water Use Licence Application (National Water Act, 1998). All information will be available on the website given above and on request.

12 February 2026

Noordkaap Bulletin

PUBLIC PARTICIPATION FOR 1

Frances Baard District Municipality hereby gi together with Section 13 of the Local Govern reviewing its Municipal Health Services By-law

Copies of the draft By-law and Tariffs Policy will

1. Frances Baard District Municipality
2. Kimberley Public Library; 34 Sidney
3. Sol Plaatje Municipal Office; Sol Pla
4. Warrenton Municipal Office; Magri
5. Jan Kempdorp Municipal Office; He
6. Hartswater Municipal Office; 24 He
7. Barkly West Municipal Office; Camj
8. Barkly West Community Library; Ak
9. Delporthoop Municipal Office; He
10. Windsorton Municipal Office; Motl
11. Ritchie Community; Ritchie;
12. SAPD reception offices in Riverton ;
13. Frances Baard District Municipality

The District Municipality invites comments fr Written submissions may be directed on or bel Avenue, Carters Glen, Kimberley or Mr Kennet

Consultative meetings on the By-law and Tari

Town/area	
Warrenton	Public Li
Jan Kempdorp	Valspan
Hartswater	Municip
Pampierstad	Kgomot
Ritchie	Motswe
Kimberley	Kimberk
Groenpunt	Groenp
Galeshewe	Social C
Roodepan	Roman t
Riverton	United F
Barkly West	Rollbal H
Windsorton	Municip
Delporthoop	Tshwara

**Ms M Bogatsu
MUNICIPAL MANAGER**



Northern Cape Gambling and Liquor Boar
31 MacDougall Street
Monument Heights
Kimberley 8301

**NORTHERN CAPE GAMBLING AND LIQUOR
NOTICE IS HEREBY GIVEN OF APPLICATION RECEIVED
OF BOOKMAKER LICENSE FROM ROLL THE DICE TI
("LICENSEE") TO KIBURI DEVELOPMENTS PTY(LTD) ("
RESPECT OF THE KURUMAN BOOKMAKER OPERATC
NORTHERN CAPE PROVINCE**

1. In terms of Section 36(1)(a)(i)(ii) of the Northern Cape Garr 6 of 2024, notice is hereby given of application received for Bookmaker License based in Kuruman from Roll the Dice 1 Developments Pty Ltd in the Northern Cape Province.

11.7 Appendix F: Site notice

11.7.1 Site Notice Template

NOTICE OF APPLICATION FOR ENVIRONMENTAL AUTHORISATION (S&EIR) AND WATER USE LICENSE AUTHORISATION

Notice is hereby given of an application for Environmental Authorisation process under Chapter 6 of the Environmental Impact Assessment Regulations, 2014, as amended. This application will be lodged with the Northern Cape Department: Agriculture, Environmental Affairs, Rural Development and Land Reform in accordance with the National Environmental Management Act, 1998 (Act no. 107 of 1998), as amended. An Application for a Water Use License (WULA) in terms of the National Water Act (NWA), 1998 (Act No. 36 of 1998, as amended) and its associated Regulations will be submitted to the Department of Water and Sanitation (DWS).

WASTEWATER TREATMENT WORKS (WWTW) IN WARRENTON, NORTHERN CAPE PROVINCE

NEMA: Listing Notice 1 (GNR. 327, 07 APRIL 2017)

12	The development of— (i) infrastructure or structures with a physical footprint of 100 square metres or more; where such development occurs— (a) within a watercourse; (c) if no development setback exists, within 32 metres of a watercourse, measured from the edge of a watercourse; —
19	The infilling or depositing of any material of more than 10 cubic metres into, or the dredging, excavation, removal or moving of soil, sand, shells, shell grit, pebbles or rock of more than 10 cubic metres from a watercourse.
25	The development and related operation of facilities or infrastructure for the treatment of effluent, wastewater or sewage with a daily throughput capacity of more than 2 000 cubic metres but less than 15 000 cubic metres.
26	Residential, mixed, retail, commercial, industrial or institutional developments where such land was used for agriculture, game farming, equestrian purposes or afforestation on or after 01 April 1998 and where such development... (i) will occur outside an urban area, where the total land to be developed is bigger than 1 hectare; excluding where such land has already been developed for residential, mixed, retail, commercial, industrial or institutional purposes.
31	The decommissioning of existing facilities, structures or infrastructure for— ... (ii) any expansion and related operation activity or activities listed in this Notice, Listing Notice 2 of 2014 or Listing Notice 3 of 2014; (iv) any phased activity or activities for development and related operation activity or expansion or related operation activities listed in this Notice or Listing Notice 3 of 2014; or (v) any activity regardless the time the activity was commenced with, where such activity: (a) is similarly listed to an activity in (i) or (ii) above; and (b) is still in operation or development is still in progress.
46	The expansion and related operation of infrastructure for the bulk transportation of sewage, effluent, process water, waste water, return water, industrial discharge or slimes where the existing infrastructure (i) has an internal diameter of 0,36 metres or more; or (ii) has a peak throughput of 120 litres per second or more; and (a) where the facility or infrastructure is expanded by more than 1000 metres in length; (b) or where the throughput capacity of the facility or infrastructure will be increased by 10% or more;

NEMA: Listing Notice 2 (GNR 325, 07 April 2017)

15	The clearance of an area of 20 hectares or more of indigenous vegetation, ...
----	---

NEMA: Listing Notice 3 (GNR. 324, 07 APRIL 2017)

12	The clearance of 300 square metres or more of indigenous vegetation except where such clearance of indigenous vegetation is required for maintenance purposes undertaken in accordance with a maintenance management plan. g) Northern Cape (ii) Within critical biodiversity areas identified in bioregional plans;
14	The development of (i) infrastructure or structures with a physical footprint of 10 square metres or more; where such development occurs(a) within a watercourse (c) if no development setback has been adopted, within 32 metres of a watercourse (g) Northern Cape (ii) Outside urban areas(ff) Critical biodiversity areas or ecosystem service areas as identified in systematic biodiversity plans adopted by the competent authority or in bioregional plans;

NWA: Section 21 (ACT NO.34 of 1998), as amended

e	Engaging in a controlled activity identified as such in section 37 (1) or declared under section 38 (1)
c	impeding or diverting the flow of water in a watercourse;
i	altering the bed, banks, course or characteristics of a watercourse;
f	discharging waste or water containing waste into a water resource through a pipe, canal, sewer, sea outfall or other conduit
g	disposing of waste in a manner which may detrimentally impact on a water resource;

- Additional listed activities may be identified during the process

LOCATION: Portion 7 of the farm Doornfontein No. 12; including other properties, Warrenton, Northern Cape Province

PROPOSER: Magareng Local Municipality

CONSULTANT: Environmental Management Group

PO Box 37473

Langenhoven Park, 9330

Tel: 051 412 6350


Email: EAP: MatshagoKeikelame@envmgrp.com

matshago@envmgrp.com accounts@envmgrp.com

mel@envmgrp.com

WEBSITE: www.envmgrp.com

DATE: 15 January 2026



In order to ensure that you are identified as an Interested and/or Affected Party (I&AP), individuals are requested to respond to this notice by submitting their complete contact details and any comment in writing to the consultant (details given above). A Background Information Document (BID) will be available on the website given above once available. Once registered, a notification will be sent for the availability of the Draft Basic Assessment Report for a thirty day (30) commenting period (in terms of NEMA). All information will be available on the website given above and on request.

11.7.2 Photographic proof of placements

Date of placement: 10th January 2026

	Site notice 1: Placed at: 28° 7'31.17"S, 24°51'3.32"E
	Site notice 2: Placed at: 28° 6'50.96"S, 24°51'56.40"E
	Site notice 3: Placed at: 28° 7'38.87"S, 24°50'41.90"E
	Site Notice 4 Placed at 28° 7'39.66"S, 24°51'6.21"E

		Site Notice 5 Placed at: 28° 6'44.34"S, 24°51'23.82"E
		Site Notice 6: Placed at: 28° 7'25.26"S, 24°50'26.53"E
		Site Notice 7 Placed at: 28° 7'34.04"S, 24°50'0.98"E
		Site Notice 8 Placed at: 28° 6'20.12"S, 24°51'15.81"E

	Site Notice 9 Placed at: 28° 7'24.41"S, 24°50'55.22"E
	Site Notice 10 Placed at: 28° 6'59.90"S, 24°50'42.58"E

11.8 Appendix G: Proof of SAHRIS

^ Summary

Case ID: 27639

Case Status: SUBMITTED

Heritage Authority(s): SAHRA

Proposal Description

For the Proposed Development of a new wastewater treatment works (WWTW) in Warrenton, Northern Cape province.

Province(s): Northern Cape

Author: Celeste

Post date: 04/03/2026 - 12:05

Last modified: 04/03/2026 - 12:05

^ Application Form Submissions

SAHRA S38 Development Application Form: Submission #3407

Additional Submissions

Submission ID	Completed	Type of submission	Submitted by
42571	05/03/2026 - 08:33	Proof of Payment	Celeste

11.9 Appendix H: List of Stakeholders

List of Stakeholders and I&AP's				
Name / Department	Contact Person	E-Mail Address	Address	Contact No.
Department Transport, Safety and Liaison	Ms Lizell Wolfe	[REDACTED]		[REDACTED]
Northern Cape Heritage Authority		[REDACTED]	1 Monridge Office Park, c/o Kekewich Drive & Memorial Road, Kimberley,	[REDACTED]
Transnet		[REDACTED]	138 Eloff Street Braamfontein Johannesburg, 2000	[REDACTED]
Department of Water and Sanitation	Ms Vhonani Ramugondo, Ms Alexia Hlengani, Mr Shaun Cloete	[REDACTED]	28 Central Road, Beaconsfield, Kimberley	[REDACTED]
Department of Cooperative Governance, Human Settlements and Traditional Affairs (NC)	Mr. M. Mbekushe Mr. BS. Lenkoe Mr. A. Mbolekwa	[REDACTED]	Larry Moleko Louw Building 9 Cecil Sussman Road Private Bag x5005 KIMBERLEY 8300	[REDACTED]
Department of Roads and Public Works	Dr. Johnny Mac Kay (HOD)	[REDACTED]	Tebogo Leon Tume Complex 9 - 11 Stokroos street Squarehill Park Kimberley 8000	[REDACTED]
FRANCES BAARD District Municipality/Head of Communications	Manager – Office of the Executive Mayor: Ms Masego Mosala	[REDACTED]		[REDACTED]
Magareng Local Municipality - Executive Mayor	Mayors office Ms Tshegofatso Mashane	[REDACTED]	PO Box 10 Magrieta Prinsloo Street Warrenton 853	[REDACTED]
SANRAL	Ms Nicole Abrams	[REDACTED]		[REDACTED]
Eskom	Ms Lebohang Motoai	[REDACTED]		[REDACTED]

Northern Cape Department of Agriculture, Environmental Affairs, Rural Development and Land Reform (Environmental Research and Development)	Samantha De la Fontaine		Evelina de Bruin Building C/o Rivier & Nelson Mandela Road Uppington 8800	
Department of Forestry, Fishery and the Environment - Biodiversity			Private Bag X447, Pretoria, 0001, Environment House, 473 Steve Biko Road, Pretoria, 0002	
Department of Forestry, Fishery and the Environment – Protected Areas Planning and Management Effectiveness	Thivhulawi Nethononda: Marlanie Moodley Director		Private Bag X447, Pretoria, 0001, Environment House, 473 Steve Biko Road, Pretoria, 0002	
Department of Forestry, Fisheries and the Environment – Climate Change and Air Quality	Mr M Kekana Director General		Private Bag X447, Pretoria, 0001, Environment House, 473 Steve Biko Road, Pretoria, 0002	
Northern Cape Heritage Recourse Authority (NCHRA)	Mr Ratha Andrew Timothy		1 Monridge Office Park, cnr Kekewich Drive & Memorial Road, Kimberley	
National Energy Regulator of South Africa (NERSA)	Media Realations Mr C Hlebele		P.O. Box 51006, Musgrave 4062	
South African National Biodiversity Institute (SANBI)			Private Bag X101, Silverton, 0184	
Department of Agriculture, Environmental Affairs, Rural Development and Land Reform	Ms C. Kraft (Unit: Research)			
Department of Agriculture, Environmental Affairs,	Mrs Kgosi (Unit: Waste Management)			

Rural Development and Land Reform				
Department of Agriculture, Environmental Affairs, Rural Development and Land Reform	Mrs Tshephiso Thibela (Unit: Compliance and Enforcement)			
Department of Agriculture, Environmental Affairs, Rural Development and Land Reform	Mr David Khakhane (Unit: Air Quality)			
Department of Agriculture, Environmental Affairs, Rural Development and Land Reform	Mr B. Fisher (Unit: Climate Change)			
Department of Forestry, Fisheries and the Environment	Jacoline Mans (Forestry Management)			
Department of Forestry, Fisheries and the Environment	MMatlala Rabothata			
Department of Forestry, Fisheries and the Environment	Khuliso KKP. Khomari			
Department of Forestry, Fisheries and the Environment	Nompumelelo Lekalakala			
Ward counsellors	Ward 1: Currently vacant Ward 2: Cllr Melato Ward 3: Cllr Mere Ward 4: Cllr Amose Ward 5: Cllr Potgieter		Magrieta Prinsloo Street, Warrenton, 8530	
Affected landowner				
Affected landowner				
Affected landowner				
Affected landowner				

Affected landowner				
Affected landowner				
Affected landowner				
Affected landowner				
Affected landowner				
Affected landowner				
Affected landowner				
Affected landowner				
Affected landowner				